Updated Risk Assessments to minimise the risk of being exposed to Covid-19



Methodology used for hazard identification and control

In line with the requirements of Safety, Health and Welfare at Work Act 2005 (section 19) it is the policy of the BoM in Caragh National School to address significant hazards and risks in the workplace, to access the risks to safety, health and welfare and to control these risks as far as is reasonably practicable.

The Board is committed to the ongoing identification of hazards, the assessment of the appropriate risks and the introduction of controls to deal with them. In addition, staff are involved and participate in safety, health and welfare issues within the school and are encouraged to identify and report any potential hazards that may exist and to ensure that a risk assessment is carried out.

This revised Risk Assessment includes all relevant updates and necessary control measures to minimise the risk of staff and others being exposed to Covid-19 and these will be incorporated into the Safety Statement for St. Projects in line with requirements of section 20 of the 2005 Act.

It is envisaged that additional reviews will be undertaken on a regular basis and in line with Government and public health advice to ensure that all information remains accurate, that controls are appropriate and where necessary risks are reassessed.

A hazard is anything with the potential to cause harm to the safety, health or welfare of staff, students, visitors and contractors – a wet or slippery floor, an unguarded machine, stressful work, a blocked entrance, hazardous chemicals etc. Hazards may be classified as physical, chemical, biological, environmental or human.

A **risk** is the likelihood that someone will be harmed by a hazard and the severity of that harm.

Control measures:

A control measure is an applied measure that reduces the level of risk. Control measures can be applied at the planning stage, can comprise physical measures, can be management issues and can include training. Good control measures will require a combination of some or all of these.

Control measure principles:

Schedule 3 of the Safety, Health and Welfare at Work Act 2005 lists the Principles of Prevention and the Board of Management undertakes to apply these principles (where practicable) in dealing with all risks within the school:

- Avoidance of risks
- Evaluation of unavoidable risks
- Combating of risks at source
- Adaptation of work to the individual
- Adaptation of workplace to technical progress
- Replacement of dangerous articles, substances or systems of work by safe or less dangerous articles, substances or systems of work
- Priority to collective protective measures over individual protective measures
- Development of an adequate prevention policy which takes account of technology, organisation of work, working conditions, social factors and the influence of factors relating to the working environment
- Appropriate training and instructions to employees.

When the safety audit identifies hazards, it is necessary to evaluate and rank them so that they can be controlled in an orderly way. The risk of a hazard is a measure of the likelihood or probability of an accident coupled with the severity of the injury or loss. The risk potential of each hazard was assessed (by ranking) by giving numerical values of between 1 and 5 to both the **severity** of the consequences and the **probability** of the event occurring. When the severity numerical factor and the probability numerical factor were multiplied together, they produced a number between 1 and 25 thereby producing the numerical values outlined in **risk rating** chart below.

Severity x Probability = Risk Rating

Chairperson: Date: Sept 21

Principal: Date: Sept 21

Severity

Severity Rating	Interpretation	Numerical Value
Fatality or Catastrophic	Single or multiple fatalities, widespread illness, large scale property or equipment damage	5
Major	Serious injury or illness, significant property or equipment damage	4
Moderate	Injury and damage to property	3
Minor	Minor injury or illness, minor property or equipment damage	2
Trivial	No significant injury or illness, no significant property or equipment damage	1

Probability/Likelihood

Probability Rating	Interpretation	Numerical Value
Inevitable	Likely to occur either immediately or in the short term	5
Very Likely	Could occur in time or if repeated enough	4
Likely	Likely to occur	3
Unlikely	Though unlikely, may occur over time	2
Rare	Unlikely to occur at all	1

Risk Rating

Numerical Value Severity x Probability	Descriptive risk rating	Interpretation
16 – 25	Emergency – Extremely serious	Risks are unacceptable and immediate action required justifying special
	If an incident were to occur, it would be likely	maintenance. Activity should be halted and stopped until the hazard is
	that a permanent, debilitating injury or death	eliminated or appropriate risk controls are put in place.
	would result	
11 – 15	Severe and Serious	Activity can proceed but substantial efforts should be made to reduce the
	If an incident were to occur, it would be likely	risk. Risk reduction measures should be implemented urgently within a
	that an injury requiring medical treatment would	defined time period and it might be necessary to consider suspending or
	result.	restricting the activity or to apply interim control measures until this has been
		completed.
6 – 10	Medium	Activity can proceed but consideration should be given as to whether the risks
	If an incident were to occur, there would be	can be lowered. Control measures must be monitored and reviewed as
	some chance that an injury requiring First Aid	required to ensure they remain suitable and sufficient.
	treatment would result	
1-5	Trivial or Negligible	No additional controls are necessary as these risks are considered acceptable.
	If an incident were to occur, there would be little	Activity should be regularly reviewed to ensure there is no change to the risk
	likelihood that an injury would result	rating and that controls are maintained.

^{*}Note: A numerical rating has been used in column 4 of the risk assessment sheets to describe the risk potential for the hazard identified This method has been used in an attempt to ensure that the levels of risk will be understood and clear to all those operating within the school.

Who may be affected? Identified Risks	Risk Communication, Education and Training Controls	Risk Rating with controls	Action implementation
Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with heart condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Management will develop a response plan for the prevention and mitigation of Covid-19 following a risk assessment of the school facility. This plan will highlight the measures necessary to protect the health and safety of staff in re-opening and modifying the work arrangements within the school. The staff representative(s) will be properly consulted when developing and implementing the action plan for the prevention and mitigation of Covid-19 within the school and all staff will be informed about the measures being introduced, using specific risk communication and staff engagement approaches. The Board of Management will: ✓ Ensure that all staff receive necessary training prior to returning to work ✓ Provide posters, information to increase awareness of Covid-19 among staff and pupils ✓ Promote safe individual practices within the school campus ✓ Engage with staff in providing feedback on the preventive measures and their effectiveness ✓ Provide regular information about the risk of Covid-19 using official sources, such as government agencies (HSE, HSA, etc.) and the World Health Organisation ✓ Emphasise the effectiveness of adopting protective measures especially good personal hygiene ✓ Provide specific training in the proper use of PPE for staff, where required	Negligible	Board of Management Principal Staff
	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 1-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date: August, 2020	Assessor's Name: Alan Hobbins		

Who may be affected?	Identified Risks	Hygiene Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with heart condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Wash their hands properly and often. Hands should be washed: After coughing or sneezing Before and after eating or preparing food Before and after using protective gloves Before and after being on public transport When arriving and leaving the school campus After toilet use ✓ Cover theirmouth and nose with a tissue or their sleeve when coughing and sneezing. ✓ Put used tissues into a bin and wash their hands ✓ Develop a routine of incresed cleaning and disinfecting of frequently touched objects and surfaces The BoM will supply required cleaning products, will ensure the correct use and storage of disinfectants and will ensure all products are stored safely and securely. No employees are permitted to attend work if they display any of the symptoms below: - 	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculat (a) Severity of risk (b) Likelihood of e (c) Risk Rating = (a	/injury 1=trivial, 2=slight, 3=mode vent 1=rare, 2=unlikely, 3=likely	rate, 4=major, 5=fatality 7, 4=very likely, 5=inevitable 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate further factors and review in		ntrol
Assessment Date:	August, 2020	<u>Assessor's Name</u> : Alan Hobbins		

Who may be affected?	Identified Risks	Hygiene Controls	Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with heart condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 ✓ Appropriate social distancing markings are in place ✓ Necessary PPE is available to staff ✓ Standard cleaning and maintenance regimes are put in place and detailed records retained ✓ Toilet facilities are cleaned regularly ✓ All drinking water facilities will be shut down ✓ Equipment sharing is minimised. Staff are encouraged not to share equipment ✓ There is regular cleaning of frequently touched surfaces and that staff are provided with essential cleaning materials to keep their own work areas clean (for example wipes/disinfection products, paper towels and waste bins/bags) ✓ All school equipment is sanitised – cleaning programmes to be devised to ensure that shared equipment is cleaned and disinfected between use by different people ✓ Covid compliant work areas to be available where social distancing guidelines can be applied ✓ There is staggered use of canteen/kitchen or other communal facilities ✓ Bins are provided for disposal of waste materials (tissues, paper towels, wipes, etc.) and that adequate waste collection arrangements to be put in place to ensure they do not overflow ✓ All waste collection points are emptied regularly throughout and at the end of each day. ✓ Staff use gloves when removing rubbish bags or handling and disposing of any 	Requires monitoring	Board of Management Principal Staff Visitors
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of ever (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=moderate, 4 ent 1=rare, 2=unlikely, 3=likely, 4=ve	·		
<u>Assessment Date</u> :	August, 2020	Assessor's Name: Alan Hobbins		

Who may be affected?	Identified Risks	Social Distancing Controls		Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with heart condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste	Physical distancing is currently a key control measure in reducing the spr The Board of Mangement will ensure that: ✓ all persons will adhere to relevant social distancing rules in relation school, use of welfare facilities and while working in the school ✓ physical spacing (2 metres apart currently) for work stations a entrances/exits, lifts, kithchen areas, canteens, stairs, where con or students of visitors might occur ✓ Break times will be staggered and school supervision procedures r Appropriate signage in line with public health guidelines will be facility (buildings and grounds) ✓ Appropriate social distancing arangements will be in place through Meetings of staff will take place online and by using teleconferenci There is currently a strict no handshaking policy in place within the ✓ All staff, contractors and visitors should avoid direct physical cont far as possible Where 2 metre distance cannot be maintained Requirements for personnel working within 2 metres of each other (v suspended): ✓ No worker has symptoms of Covid-19 ✓ The close contact work cannot be avoided ✓ Installation of physical barriers e.g. clear plastic sneeze guards ✓ PPE is present in line with the approved risk assessment (full face health advice ✓ An exclusion zone for <2m work will be set up pre task commence ✓ Prior to donning appropriate PPE, staff will wash/sanitise their har	to entering the and common spaces, such as gregation or queuing of staff, must be strictly adhered to e displayed throughout school sout the facility ing facilities eschool eact with any other persons as where activity cannot be mask, gloves, etc) and public ement	Requires monitoring Serious	Board of Management Principal Staff Visitors
Risk Level Calculation (a) Severity of risk/inj (b) Likelihood of ever (c) Risk Rating = (a) X Assessment Date:	jury 1=trivial, 2=slight, 3=moderat nt 1=rare, 2=unlikely, 3=likely, 4= (b)	very likely, 5=inevitable 11-15 Severe risk 16-25 Emergency risk	Acceptable Requires monitoring Requires immediate further act Halt activity and review immed		

Who may be affected?	Identified Risks	Ventil Cont		Risk Rating with controls	Action implementation
All staff Pupils Visitors Contractors Public	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions—i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with heart condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 windows in classrooms will remain open during windows in support rooms, sensory room will exit doors in the PE room will be open whilst in the Windows will be left open in the staffroom, of the Meetings with parents, if necessary will be conducted by During break times, windows will be opened to doors will also be opened. 	ales rules while working in the school and the teaching day be open during teaching times in use. fices and common areas such as the library aducted in a large, ventilated open space. to the full extent and doors will be left open. Exit illation. Appropriate action will be taken – opening	Requires monitoring Serious	Board of Management Principal Staff Visitors
Risk Level Calculation (a) Severity of risk/inju (b) Likelihood of event (c) Risk Rating = (a) X (Assessment Date: A	t 1=rare, 2=unlikely, 3=likely, 4= b)	e, 4=major, 5=fatality every likely, 5=inevitable 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1: 1:	isk Level Action -5 Trivial risk Acceptable -10 Medium risk Requires monitoring 1-15 Severe risk Requires immediate further act 6-25 Emergency risk Halt activity and review immed ssessor's Name: Alan Hobbins		

Who may be affected?	Identified Risks	Cleaning Controls			Action implementation
Staff especially cleaning staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with heart condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	items handled at work or during breaks have bring to work (e.g. mobile phones surfaces or they will need to clean the s ✓ Cleaning staff will be trained in the new ✓ Sufficient cleaning materials and PPE w ✓ Cleaning staff will be instructed to wear to wash their hands thoroughly with s gloves ✓ System in place for the disposable of Current HSE guidance recommends was person suspected of having Covid-19 s area for 72 hours before being presented ✓ System in place to make sure reusable c disposable cloths are clean before re-us	onal items that have been brought to work and so Staff advised to clean personal items that they and to avoid leaving them down on communal surface after the personal item is removed a cleaning arrangements for the school will be available to allow for increased cleaning gloves when cleaning and are aware of the need soap and water, both before and after wearing aste such as cleaning waste, tissues etc. from a hould be double bagged and stored in a secure and for general waste collection leaning equipment including mop heads and non-secure as buckets are emptied and cleaned with	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a) Assessment Date:	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in Assessor's Name: Alan Hobbins		ntrol

Who may be affected?	Identified Risks	Office and ad	lministration areas	Risk Rating	Action implementation
arrected?	identified Risks	С	ontrols	with controls	Action implementation
Staff	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with heart condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 designated workstations and staff The number of employees permitted t limited as a necessary control measure Perspex screens will be installed in officent 	e the maintenance of physical distancing between o work in an office at any particular time shall be to protect health and safety. The areas to limit the spread of infection. The areas to when visitors to school may access the safety access the safety.	Requires	Board of Management Principal Administration staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of evolution (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth		itrol
Assessment Date:	June, 2020		Assessor's Name:		

Who may be	Identified Risks	Use of PPE	Risk Rating	
affected?	identified kisks	Controls		Action implementation
Staff	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with heart condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell	Where PPE is required by staff, they will be notified accordingly and be provided with the necessary PPE and provided with training and information in the proper use, cleaning, storage and disposal of PPE. PPE needs to be consistently and properly worn when required. In addition, it must be regularly inspected, cleaned, maintained and replaced as necessary.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Handling books and other resources during Covid-19 Controls	Risk Rating with controls	Action implementation
Staff (particularly SNAs, school secretaries and school book rental co-ordinator)	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with hearth condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	 Maintain physical distancing Observe good hygiene (hand washing and respiratory etiquette, do not touch your eyes, nose, mouth with unwashed hands, etc.) before and after handling books and other materials returned to the school Follow the agreed school protocols if you are displaying symptoms of Covid-19 Any books or other items (resource packs, computers, etc.) being returned to the school should be quarantined for 72 hours. 	Requires monitoring	Board of Management Principal Staff
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 1-7 Acceptable 1-8 Acceptable 1-9 Acceptable 1-10 Acceptable 1-10 Acceptable 1-11 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Using hand to	pols or equipment	Risk Rating	Action implementation
arrected?	identified Risks	Ca	ontrols	with controls	Action implementation
All staff	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with hearth condition	 ✓ All tools and equipment must be proposed Arrangements should be put in place for and machinery as far as is reasonably ✓ Cleaning material will be available so between each use ✓ All mobile machinery (including lawning prior to use) 	or the nature of the work that they are undertaking erly sanitised to prevent cross contamination or one individual to use the same tool, equipment practicable that all tools can be wiped down with disinfectant nowers) must be thoroughly cleaned and santisied	Requires monitoring	Board of Management Principal Staff
	Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death				
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) >	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=like	oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Dealing with a suspected case of Covid-19	Risk Rating	Action implementation
anecteur	identified Risks	Controls	with controls	Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with hearth condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	area and the route to the designated area should be easily accessible and as far as is reasonable and practicable, should be accessible by people with disabilities. The possibility of having more than one person displaying signs of Covid-19 needs to be considered so having additional isolation areas available or another contingency plan for dealing with additional cases must be planned. It would be important that the designated area has the ability to isolate the person behind a closed door and away from other workers If a person displays symptoms of Covid-19 the following procedure is to be implemented: ✓ Isolate the person and have a procedure in place to accompany the individual to the designated isolation area via the isolation route, keeping at least 2 metres away from the symptomatic person and also making sure that others maintain a distance of at least 2 metres from the symptomatic person at all times. ✓ Provide a mask for the person presenting with symptoms if one is available. He/she should wear the mask if in a common area with other people or while exiting the premises.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/i (b) Likelihood of evec (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik	Risk Level Action oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	<u>Assessor's Name</u> :		

Who may be affected?	Identified Risks		I case of Covid-19 (continued) ontrols	Risk Rating with controls	Action implementation
Staff Pupils Visitors Contractors	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with hearth condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	family member, as soon as possible ar by phone of their symptoms. Public to ✓ If they are too unwell to go home or them that the sick person is a Covid-1 ✓ Carry out an assessment of the incide actions and recovery.	ne, arrange for them to be transported home by a nd advise them to inform their general practitioner ransport of any kind should not be used advice is required, contact 999 or 112 and inform .9 suspect. Int which will form part of determining follow-up the isolation area and work areas involved.	Requires monitoring	Board of Management Principal Staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of even (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=like	derate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable	Risk Level Action 1-5 Trivial risk Acceptable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Covid-19 cleaning	Risk Rating	Action implementation
an edieu.		Controls	with controls	7.00.01.111.
Staff Pupils	Spread of Covid-19 virus	All cleaning will be undertaken in line with DES and public health guidance.		Board of Management Principal
Risk Level Calculation (a) Severity of risk/ii		suspected coronavirus (Covid-19) case. This will reduce the risk of passing the infection on to other people ✓ The area should be kept closed and secure for 72 hours (if possible) for cleaning as the amount of virus living on surfaces will have reduced significantly by 72 hours ✓ For cleaning purposes, wear a face mask, disposable or washing up gloves. These should be double-bagged, then stored securely for 72 hours and then put with the regular rubbish after cleaning is finished should be double-bagged, ✓ Using a disposable cloth, first clean hard surfaces with warm soapy water. Then disinfect these surfaces with the cleaning products you normally use. Pay particular attention to frequently touched areas and surfaces, such as toilets, banisters on stairwells and door handles	Serious Requires monitoring	Cleaning staff
(b) Likelihood of eve (c) Risk Rating = (a)	ent 1=rare, 2=unlikely, 3=like	ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furth 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	Assessor's Name:	ediately	

Who may be affected? Identified	Identified Risks	Cleaning a space with a suspected/confirmed case of Covid-19		Action implementation
anecteur	identined Risks	Controls	with contro	ls Action implementation
Staff Pupils Visitors	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with hearth condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above)	All cleaning will be undertaken in line with DES and public health guidance. Use disposable cloths or paper roll and disposable mob heads to clean a floors, chairs, door handles and sanitary fittings, using an approved and recognidisinfectant in line with the manufacturer's instructions for dilution, aplication at Disinfectants used should be effective against viruses. Additionally: Avoid creating splashes and spray when cleaning. Any cloths and mop heads used must be disposed of and should be put into was below. When items cannot be cleaned using detergents or laundered (upholster mattresses for example) steam cleaning should be used Any items that have been heavily contaminated with bodyfluids and that can washing should be disposed of If possible, keep an area closed off and secure for 72 hours. After this time the arcontamination will have decreased substantially, and cleaning can take place as	sed detergent a and contact time Serious Requires monitoring ered furniture not be cleaned mount of virus	Board of Management Principal Cleaning staff
Risk Level Calculation (a) Severity of risk/in (b) Likelihood of ev (c) Risk Rating = (a) Assessment Date:	injury 1=trivial, 2=slight, 3=mo ent 1=rare, 2=unlikely, 3=lik		monitoring immediate further action and	control

Who may be affected? Identifi	Clo ed Risks	eaning a space with a suspected/confirmed case of Covid-19 (continued) Controls	Risk Rating with controls	Action implementation
most at risk of they catch the continuous of a sease, pressure, diabeto pregnant work condition. Known effect coronavirus: A fever (high 37.5 degrees Continuous of cough, not just of cough, not just of cough difficus of sense	ently deemed complications if coronavirus are: ge and over g-term medical e. heart disease, high blood etes or cancer men with hearth cts of the temperature of elsius or above) can be any kind ast a dry cough of breath or ulties of smell se of taste or	Wash items in accordance with the manufacturer's instructions. Use the warmest water setting and dry items completely. Dirty laundry that has been in contact with an unwell person can be washed with other people's items. Do not shake dirty laundry as this minimises the possibility of dispersing the virus through the air Clean and disinfect anything used for transporting laundry with your usual products, in line with the cleaning guidance outlined above Management Waste should be put in a plastic rubbish bag and tied when full The plastic bag should then be placed in a second bin bag and tied It should be put in a suitable and secure place and marked for storage until the individual's test results are known All waste should be stored safely and kept away from children. You should not put waste in communal waste areas until negative test results are known or the waste has been stored for at least 72 hours	Serious Requires monitoring	Board of Management Principal Cleaning staff
	al, 2=slight, 3=moderate, 2=unlikely, 3=likely, 4=ve			ntrol
Assessment Date: June, 2020		Assessor's Name:		

Who may be affected?	Identified Risks	Travel to and from work	Risk Rating	Action implementation
ancetea.	identified Hisks	Controls	with controls	Action implementation
Staff	they catch the coronavirus are:60 years of age and over	Where a staff member exhibits any signs of Covid-19 or has been exposed to a confirmed case they should not travel to work. Wherever possible, staff should travel to work alone using their own means of transport — staff should not share transport to or from work. If availing of public transport, sit down to minimise contact with frequently touched surfaces, handles, roofstraps, isolation bars, etc. Wear a face mask and carry hand santiser (at least 60% alcohol) and use it regularly throughout	Requires monitoring	All staff
Risk Level Calculation (a) Severity of risk/ (b) Likelihood of ev (c) Risk Rating = (a) Assessment Date:	injury 1=trivial, 2=slight, 3=movent 1=rare, 2=unlikely, 3=likely (b)	Risk Level Action 1-5 Trivial risk Acceptable ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in Assessor's Name:		ntrol

Who may be affected?	Identified Risks	Dropping off and picking up of pupils	Risk Rating	Action implementation
affected:	identined Risks	Controls	with controls	Action implementation
Bus and taxi drivers	most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical	Where pupils travel by public transport the Board of Management will provide a designated drop off/awaiting area (where possible) that supports social distancing measures. It's expected that there will be pre-agreed staggered arrival times for school buses. Parents/guardians will be encouraged to wait in the car outside of the school	Requires monitoring	Board of Management Principal Staff Bus and taxi drivers
Risk Level Calculation (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) X	- ijury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	Risk Level Action Oderate, 4=major, 5=fatality ely, 4=very likely, 5=inevitable 6-10 Medium risk Requires monitoring 11-15 Severe risk Requires immediate furthe 16-25 Emergency risk Halt activity and review in		ntrol
Assessment Date:	June, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Visitors to school Controls	Risk Rating with controls	Action implementation
Staff Pupils Wider Community	Spread of Covid-19 virus Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with hearth condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	The Board of Management will ensure the safety and wellbeing of all visitors to the school premises. Visits to the school will be severely restricted and visitors will be asked to: Make a prior appointment before visiting the school Remain at home if they have any Covid-19 symptoms Follow the agreed Covid-19 protocols for the school Sanitise before entering the premises Attendance to be recorded on entry to building Wear PPE if instructed Adhere to social distancing requirements Not to loiter – complete their business and leave premises	Requires monitoring	Board of Management Principal
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a)	njury 1=trivial, 2=slight, 3=mo nt 1=rare, 2=unlikely, 3=lik	Risk Level Action 1-5 Trivial risk Acceptable 1-7 Medium risk Requires monitoring 1-8 Severe risk Requires immediate furth 1-9 Emergency risk Halt activity and review in		ntrol
<u>Assessment Date</u> :	June, 2020	Assessor's Name:		

Who may be affected?	Identified Risks	Management of deliveries and supplies to school Controls	Risk Rating with controls	Action implementation
Staff Pupils Drivers Wider Community	Persons currently deemed most at risk of complications if they catch the coronavirus are: • 60 years of age and over • have long-term medical conditions – i.e. heart disease, lung disease, high blood pressure, diabetes or cancer • pregnant women with hearth condition Known effects of the coronavirus: • A fever (high temperature of 37.5 degrees Celsius or above) • A cough - this can be any kind of cough, not just a dry cough • Shortness of breath or breathing difficulties • Loss of sense of smell • Loss of sense of taste or distortion of sense of taste • Death	All drivers to remain in their vehicle and to follow instructions to set down area Ensure that all delivery transactions comply with physical distancing requirements Agree a delivery protocol with suppliers All deliveries to be planned with allocated times for collections and deliveries Arrangements to be made for paperless deliveries System to be agreed with suppliers to ensure reconciliations are accurate Appropriate sanitising arrangements at set down areas (for materials and stock) and at access and egress points.	Requires monitoring	Board of Management Principal Staff Delivery personnel
Risk Level Calculatio (a) Severity of risk/ir (b) Likelihood of eve (c) Risk Rating = (a) Assessment Date:	njury 1=trivial, 2=slight, 3=moder nt 1=rare, 2=unlikely, 3=likely, ((b)			ntrol

Declaration of Sight

I have read and understand the contents of this document. Signed: __ Dated: Signed: ______ Dated: _____ Signed: ______ Dated_____ Signed: Dated: Signed: ______ Dated: _____ Signed: ______ Dated: _____ Signed: Dated: Signed: ______ Dated: _____ Signed: Dated: Signed: ______ Dated: _____ Signed: ______ Dated: _____ Signed: _____ Dated:_____ Signed: _____ Dated:____ Signed:______ Dated:_____ Signed:______ Dated:_____

Signed:	Dated	_
Signed:	Dated:	
Signed:	Dated:	-
Signed:	Dated	-
Signed:	Dated:	_
Signed:	Dated:	
Signed:	Dated:	
Signed:	Dated:	
Signed:	Dated:	=
Signed:	Dated:	

Signed:	Dated
Signed:	Dated: